


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(ramsey adj number)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/23 13:53
L2	274	(703/21).CCLS.	USPAT; USOCR	OR	OFF	2005/05/23 13:53
L3	0	2 and ramsey	USPAT	OR	OFF	2005/05/23 13:53

*Search
Monitor Drin*

*5/23/2005
Drin (aig)*




[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before July 2001

Terms used **ramsey network simulation**Found **68** of **116,001**

Sort results by


[Save results to a Binder](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Display results


[Search Tips](#)
☐ Open results in a new window

Results 21 - 40 of 68

Result page: [previous](#) [1](#) [2](#) [3](#) [4](#) [next](#)Relevance scale ☐ ☐ ☐ ☐ ☐

21 [The interdisciplinary study of coordination](#)

Thomas W. Malone, Kevin Crowston

March 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 1Full text available: [pdf\(584.94 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

This survey characterizes an emerging research area, sometimes called coordination theory, that focuses on the interdisciplinary study of coordination. Research in this area uses and extends ideas about coordination from disciplines such as computer science, organization theory, operations research, economics, linguistics, and psychology. A key insight of the framework presented here is that coordination can be seen as the process of managing dependencies ...

Keywords: computer-supported cooperative work, coordination, coordination science, coordination theory, groupware

22 [Compression using efficient multicasting](#)

Micah Adler, Tom Leighton

May 1999 **Proceedings of the thirty-second annual ACM symposium on Theory of computing**Full text available: [pdf\(1.07 MB\)](#)
 Additional Information: [full citation](#), [references](#), [index terms](#)

23 [Power optimization of technology-dependent circuits based on symbolic computation of logic implications](#)

R. Iris Bahar, Ernest T. Lampe, Enrico Macii

July 2000 **ACM Transactions on Design Automation of Electronic Systems (TODAES)**, Volume 5 Issue 3Full text available: [pdf\(229.92 KB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents a novel approach to the problem of optimizing combinational circuits for low power. The method is inspired by the fact that power analysis performed on a technology mapped network gives more realistic estimates than it would at the technology-independent level. After each node's switching activity in the circuit is determined, high-power nodes are eliminated through redundancy addition and removal. To do so, the nodes


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Published before July 2001

Terms used **simulated server load**Found **4,854** of **116,001**

Sort results by

Display results

☒ [Save results to a Binder](#)
☐ [Search Tips](#)
☐ [Open results in a new window](#)
[Try an Advanced Search](#)
[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Locality-aware request distribution in cluster-based network servers](#)

Vivek S. Pai, Mohit Aron, Gaurov Banga, Michael Svendsen, Peter Druschel, Willy Zwaenepoel, Erich Nahum

 October 1998 **Proceedings of the eighth international conference on Architectural support for programming languages and operating systems**, Volume 33 , 32 Issue 11 , 5
Full text available: [pdf\(1.59 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We consider cluster-based network servers in which a front-end directs incoming requests to one of a number of back-ends. Specifically, we consider *content-based request distribution*: the front-end uses the content requested, in addition to information about the load on the back-end nodes, to choose which back-end will handle this request. Content-based request distribution can improve locality in the back-ends' main memory caches, increase secondary storage scalability by partitioning th ...

2 [Performance tradeoffs for client-server query processing](#)

Michael J. Franklin, Björn Thór Jónsson, Donald Kossmann

 June 1996 **ACM SIGMOD Record , Proceedings of the 1996 ACM SIGMOD international conference on Management of data**, Volume 25 Issue 2
Full text available: [pdf\(1.51 MB\)](#)
 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The construction of high-performance database systems that combine the best aspects of the relational and object-oriented approaches requires the design of client-server architectures that can fully exploit client and server resources in a flexible manner. The two predominant paradigms for client-server query execution are data-shipping and query-shipping. We first define these policies in terms of the restrictions they place on operator site selection during query optimization. We then investiga ...

3 [Using speculation to reduce server load and service time on the WWW](#)

Azer Bestavros

 December 1995 **Proceedings of the fourth international conference on Information and knowledge management**
Full text available: [pdf\(733.14 KB\)](#)
 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

THE ACM DIGITAL LIBRARY

 [Report a problem](#) [Satisfaction survey](#)

 Terms used **simulated server load ramsey**

Found 31 of 154,226

Sort results by

Display results

☒ [Save results to a Binder](#)
☒ [Search Tips](#)
☐ [Open results in a new window](#)

 Try an [Advanced Search](#)

 Try this search in [The ACM Guide](#)

Results 1 - 20 of 31

 Result page: [1](#) [2](#) [next](#)

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Modeling and simulation of self-similar variable bit rate compressed video: a unified approach](#)

Changcheng Huang, Michael Devetsikiotis, Ioannis Lambadaris, A. Roger Kaye

 October 1995 **ACM SIGCOMM Computer Communication Review**, **Proceedings of the conference on Applications, technologies, architectures, and protocols for computer communication**, Volume 25 Issue 4

 Full text available: [pdf\(1.06 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Variable bit rate (VBR) compressed video is expected to become one of the major loading factors in high-speed packet networks such as ATM-based B-ISDN. However, recent measurements based on long empirical traces (complete movies) revealed that VBR video traffic possesses *self-similar* (or *fractal*) characteristics, meaning that the dependence in the traffic stream lasts much longer than traditional models can capture. In this paper, we present a unified approach which, in addition to ...

2 [On randomization in sequential and distributed algorithms](#)

Rajiv Gupta, Scott A. Smolka, Shaji Bhaskar

 March 1994 **ACM Computing Surveys (CSUR)**, Volume 26 Issue 1

 Full text available: [pdf\(8.01 MB\)](#)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Probabilistic, or randomized, algorithms are fast becoming as commonplace as conventional deterministic algorithms. This survey presents five techniques that have been widely used in the design of randomized algorithms. These techniques are illustrated using 12 randomized algorithms—both sequential and distributed—that span a wide range of applications, including: primality testing (a classical problem in number theory), interactive probabilistic proof s ...

Keywords: Byzantine agreement, CSP, analysis of algorithms, computational complexity, dining philosophers problem, distributed algorithms, graph isomorphism, hashing, interactive probabilistic proof systems, leader election, message routing, nearest-neighbors problem, perfect hashing, primality testing, probabilistic techniques, randomized or probabilistic algorithms, randomized quicksort, sequential algorithms, transitive tournaments, universal hashing

3

[A transformational approach to binary translation of delayed branches](#)

[Advanced Scholar Search](#)[Scholar Preferences](#)[Scholar Help](#)**Scholar**Results 1 - 4 of 4 for "**ramsey number**" **simulated traffic**. (0.07 seconds)

Tip: Try removing quotes from your search to get more results.

SPOT PRICING FRAMEWORK FOR LOSS GUARANTEED INTERNET SERVICE CONTRACTS

A Gupta, S Kalyanaraman, L Zhang - ecse.rpi.edu

... The **Ramsey number** α is the fraction of the monopoly profit margin that is ... is inherently risky, due to the uncertainties caused by competing **traffic** in the ...[View as HTML](#) - [Web Search](#)**A TWO-COMPONENT SPOT PRICING FRAMEWORK FOR LOSS-RATE GUARANTEED INTERNET SERVICE CONTRACTS**A Gupta, L Zhang, S Kalyanaraman - Simulation Conference, 2003. Proceedings of the 2003 Winter - [ieeexplore.ieee.org](#), 2003... The **Ramsey number** (Y is the fraction of the monopoly profit margin common to ... intrinsically risky due to the uncertainties caused by competing **traffic** in the ...[Web Search](#) - [ecse.rpi.edu](#) - [ieeexplore.ieee.org](#)**A TWO-COMPONENT SPOT PRICING FRAMEWORK FOR LOSS-RATE GUARANTEED INTERNET SERVICE CONTRACTS**S Chick, PJ Sanchez, D Ferrin, DJ Morrice - [portal.acm.org](#)... The **Ramsey number** α is the fraction of the monopoly profit ... widely used to generate self-similar **traffic** in network ... parameter H of the FGN was **simulated** in the ...[Web Search](#) - [simulation.section.informs.org](#) - [informs-cs.org](#) - [informs-sim.org](#) - [all 5 versions »](#)**A survey of distributed computing, computational grid, meta-computing and network information tools**RJ Allan, M Ashworth - [ukhec.ac.uk](#)... An EveryWare application implementing a **Ramsey Number** search algorithm (Wolski et al, 1999) claims to be the first true meta- computing application which is ...[Cited by 3](#) - [View as HTML](#) - [Web Search](#)[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google



[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar

 Results 1 - 5 of 5 for **"ramsey number" generate traffic**. (0.08 seconds)

Tip: Try removing quotes from your search to get more results.

ESTIMATING WELFARE GAINS FROM TARIFF REBALANCING IN TELECOM: A CASE FOR UKRAINE

I Tatiana - eerc.kiev.ua

 ... data and video as well as voice **traffic** over the ... Equation indicates that the **Ramsey number** in each ... the common costs should be allocated to **generate** second best ...

[View as HTML](#) - [Web Search](#)

A TWO-COMPONENT SPOT PRICING FRAMEWORK FOR LOSS-RATE GUARANTEED INTERNET SERVICE CONTRACTS

 A Gupta, L Zhang, S Kalyanaraman - Simulation Conference, 2003. Proceedings of the 2003 Winter - [ieeexplore.ieee.org](#), 2003

 ... The **Ramsey number** (Y is the fraction of the monopoly profit margin ... Gaussian noise (FGN), has been widely used to **generate** self-similar **traffic** in network ...

[Web Search](#) - [ecse.rpi.edu](#) - [ieeexplore.ieee.org](#)

A TWO-COMPONENT SPOT PRICING FRAMEWORK FOR LOSS-RATE GUARANTEED INTERNET SERVICE CONTRACTS

 S Chick, PJ Sanchez, D Ferrin, DJ Morrice - [portal.acm.org](#)

 ... The **Ramsey number** α is the fraction of the monopoly profit margin ... Gaussian noise (FGN), has been widely used to **generate** self-similar **traffic** in network ...

[Web Search](#) - [simulation.section.informs.org](#) - [informs-cs.org](#) - [informs-sim.org](#) - [all 5 versions »](#)

SPOT PRICING FRAMEWORK FOR LOSS GUARANTEED INTERNET SERVICE CONTRACTS

 A Gupta, S Kalyanaraman, L Zhang - [ecse.rpi.edu](#)

 ... The **Ramsey number** α is the fraction of the monopoly profit margin that is ... is inherently risky, due to the uncertainties caused by competing **traffic** in the ...

[View as HTML](#) - [Web Search](#)

A survey of distributed computing, computational grid, meta-computing and network information tools

 RJ Allan, M Ashworth - [ukhec.ac.uk](#)

 ... An EveryWare application implementing a **Ramsey Number** search algorithm (Wolski et al, 1999) claims to be the first true meta- computing application which is ...

[Cited by 3](#) - [View as HTML](#) - [Web Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google